


CRANE WEIGHER



MINI-LOAD

- doğruluk 0,05 %
- Koruma sınıfı IP65
- gösterge LCD, 4 digits (25 mm)
- kapasite : 300, 500,..., 10.000 kg
- seçenekler : LED, IR uzaktan kumandalı, toplama bellekli, ısı kalkanı, taşıma çantası




Capacity kg	Resolution kg	Dimensions mm				Weight
		A	B	C	D	
300	0,1	500	235	370	400	4,0
500	0,2	500	235	370	400	4,0
1.000	0,5	500	235	370	400	4,5
2.000	1	550	260	370	400	5
3.200	1	570	265	440	430	5,5
5.000	2	700	330	535	595	11
6.300	2	770	335	535	600	14
10.000	5	840	350	610	710	21

VİNÇ KANTARI



EXCEL-LOAD 25

- doğruluk 0,03 %
- Koruma sınıfı IP65
- gösterge LCD, 5 digits (25 mm)
- Paslanmaz kutulu
- kapasitele : 500,..., 12.000 kg
- seçenekler : yazıcı, LED, IR uzaktan kumanda, toplama bellekli, ısı kalkanı, RS232 seri çıkışı, röle çıkışlı setpoint




Capacity Kg	Resolution Kg	Dimensions mm				Weight
		A	B	C	D	
300	0,1	520	250	370	400	
500	0,1	520	250	370	400	
1000	0,2	520	250	370	400	
2.000	0,5	520	250	370	400	
3.200	0,5	590	300	440	430	
5.000	1	765	350	535	595	12,5
6.300	1	770	350	535	600	16
10.000	5	890	425	610	710	22,5
12.000	5	890	425	610	710	23

VİNÇ KANTARI



EXCEL-LOAD 45

- doğruluk 0,03 %
- Koruma sınıfı IP65
- gösterge LED, 5 digits (45 mm)
- Paslanmaz kutulu
- kapasite : 500,..., 12.000 kg
- seçenekler : yazıcı, IR uzaktan kumanda, toplam bellekli, ısı kalkanı, RS232 seri çıkış, röle çıkışlı setpoint




Capacity Kg	Resolution Kg	Dimensions mm			Weight
		A	B	C	
2.000	0,5	550	235	135	6,5
3.200	0,5	570	260	150	7,8
5.000	1	700	265	155	8,6
6.300	1	770	330	160	13,5
10.000	2	840	335	165	16,8
12.000	2	900	350	180	24
16.000	5	1.050	360	200	25
20.000	5	1.300	580	235	32
25.000	10	1.550	740	277	44

VİNÇ KANTARI



MACRO-LOAD

- doğruluk 0,03 %
- Koruma sınıfı IP65
- gösterge LED, 5 digits (60 mm)
- kapasite : 2.000,..., 50.000 kg
- seçenekler : içsel yazıcı, LCD, IR uzaktan kumanda, toplam bellek, ısı kalkanı




Capacity Kg	Resolution Kg	Dimensions mm			Weight
		A	B	C	
2000	1	550	260	150	
3200	1	570	265	155	
6.300	2	820	350	200	25
10.000	5	925	445	200	35
12.000	5	930	450	205	36
16.000	5	1.080	480	209	39
20.000	10	1.300	580	235	72
25.000	10	1.340	585	240	79
32.000	20	1.450	660	280	106
50.000	custom made				

KANTARLI KANCA



TR-LOAD

- doğruluk 0,1 %
- Koruma sınıfı IP65
- gösterge LED, 5 digits (25-60 mm)
- OFF/DARA uzaktan kumandalı
- kapasite : 2.000, 3.000, ..., 32.000 kg, ...
,150.000 kg
- seçenekler : içsel yazıcı, LCD, IR
uzaktan kumanda, ısı kalkanı,
- Makara sayısı : 2, 4, 8



Capacity Kg	Resolution Kg	N° Digits	Height digits	N° hook	ød - øD	A	B
2.000	1	4	25	1,6	ø160/185	215	315
3.000	1	4	25	1,6	ø160/185	215	315
5.000	2	5	25	2,5	ø200/240	240	337
6.300	2	5	25	2,5	ø200/240	240	337
8.000	2	5	25	4	ø240/285	240	370
10.000	5	5	25	5	ø280/355	258	395
12.000	5	5	25	5	ø280/355	258	395
16.000	5	5	45	6	ø355/415	400	515
20.000	10	5	60	8	ø355/415	400	565
25.000	10	5	60	10	ø355/415	400	586
32.000	15	5	60	12	ø450/520	430	642